

Notation:

Article title

Example:

S = in Supplement

[month — page number]
10 — 63 = October 1998, page 63

Application Notes

AM/FM antenna matching IC (Telefunken/Temic)	2 — 48
AM/FM receiver IC (Telefunken/Temic)	6 — 50
Compact 3.3V charge pump converter (Linear Technology)	10 — 52
DS5000 soft microcontroller (Dallas Semiconductor)	1 — 46
ESD protection for I/O ports (Maxim)	7/8 — 43
Home automation modem (Philips Semiconductors)	5 — 60
Programmable sensor interface MLX90308 (Melexis)	11 — 56
mProcessor system hardware monitor (National Semiconductor)	4 — 52

Audio/Video, Music

1 Watt BTL audio amplifier	12 — 68
100-watt single-IC amplifier	7/8 — 17
Accurate bass tone control	12 — 59
AVC for PCs	2 — 24
Balanced microphone amplifier	7/8 — 64
Balanced/unbalanced converters for audio signals	3 — 22
Clipping indicator for compact disc	10 — 46
Crossover for subwoofer	7/8 — 47
How does a digital loudspeaker system work?	9 — 30
Microphone valve preamplifier	7/8 — 76
Playback amplifier for cassette deck	12 — 56
Presence filter	12 — 62
Simple copybit killer	7/8 — 22
Simple electronic metronome	2 — 36
Sounds from the Old West	7/8 — 77
Speech eroder	12 — 74
Stereo microphone input for PC	1 — 42
Ten-band equalizer	12 — 71
The super audio CD	9 — 11
Treble tone control	12 — 54
Two-way AF amplifier LM4830	7/8 — 81
Ultra-low-noise MC amplifier	12 — 60
Up/down drive for tone control	12 — 82
Video amplifier	7/8 — 100

Computers, Microprocessors, Software

80C32 BASIC control computer (1)	2 — 30
80C32 BASIC control computer (2)	3 — 40
A compact display controller	11 — S12
A noisy PC	5 — S12
A simple A-D converter	6 — S2
A simple PC network	2 — S2
Accurate time measurement in Visual BASIC	9 — S12
A-D converter for MatchBox BASIC computer	12 — 70
AVC for PCs	2 — 24
AVR-RISC evaluation system (1)	10 — S6
AVR-RISC evaluation system (2)	11 — S2
Cable tester	1 — S9
CD-R formats	11 — S8
Centronics in-system programmer	7/8 — 86
Computer emulators	5 — S2
Data acquisition by modem	3 — S6
Display refresh meter	1 — S12
Do more with the gameport	9 — S6
Dust in the PC	3 — 12
Electronic Engineering (EE) virtual libraries	1 — 38
Electronic Handyman (2)	1 — 26
Electronics Workbench layout	10 — 60
E-meter (PC monitor radiation)	4 — 40
Experimental power supply for PCs	9 — S2
Extension board for MatchBox BASIC computer	7/8 — 94
External port for tape streamer	10 — S16

Faster access to the Internet	4 — S2
Fibre-optic data communication	5 — 52
Game control adaptor	7/8 — 84
How do I set up a network?	3 — S2
Improved power-down for the 8051	12 — 57
Information on CD-R(W)	11 — 54
Intercast — free Internet pages via TV signals	12 — S6
IRQ and DMA usage	6 — S10
Joystick and MIDI interface for Soundblaster cards	12 — S10
Keyboard switch	11 — S6
Light intensity measurement with a PC	2 — S14
Linux — a Windows alternative?	10 — S2
Low-cost development system for PICs	7/8 — 72
Memory change-over tip	12 — 57
Modem off indicator	7/8 — 63
Modern modem technology	1 — 32
Multiple test card (for microcontrollers)	9 — 50
No more Peeping Toms on the Internet	2 — 39
Oscilloscope software	12 — 12
Parallel-to-serial converter	12 — S2
PC control for MiniDisc player	11 — 30
PC-on-a-chip	12 — S9
PIC & AVR programmer	6 — 26
PIC on the rocks	1 — S6
PIC16C84 programmer for Centronics port	7/8 — 62
PICs on the Internet	6 — 24
PICXEX (operating system)	5 — 56
PLD Gyroscope version 2	1 — S14
Preamplifier for soundcards	12 — S5
Projects for PC & infrared remote control	6 — S14
R/C interface for PC Flight Simulator	10 — S12
RS232 controlled 8-channel switch	6 — S6
RS232 interface for 68HC11	2 — S6
SCSI	5 — S6
Small VGA-tester	9 — S14
Stereo microphone input for PC	1 — 42
The modern printer port	4 — S12
USB and Firewire	2 — S10

General Interest

32-channel PC-controlled light dimmer	12 — 30
4-bit analogue-to-digital converter	7/8 — 16
6-channel running light	7/8 — 92
Ambient-noise monitor	12 — 82
Anemometer	12 — 14
Auto power off	7/8 — 74
Automatic air humidifier	7/8 — 96
Automatic light dimmer	7/8 — 75
Balanced amplifier for photodiode	12 — 69
Berlin clock	7/8 — 87
Bi-directional I ² C level shifter	7/8 — 16
Car immobilizer	12 — 66
Car interior lights delay	7/8 — 73
Chipcard as security key	7/8 — 31
Circuit ideas for the NE612	12 — 65
DCF-controlled LED clock	5 — 26
Design hunting	5 — 46
Digital cameras	10 — 22
Digital output with sink/source driver	12 — 88
Doorbell-controlled burglar deterrent light	7/8 — 46
Electrical isolation for I ² C bus	7/8 — 48
Electronic die	1 — 58
Electronic spirit-level	7/8 — 36
Exposure timer for UV light box	7/8 — 38
Fast voltage-driven current source	12 — 81
Faultfinding	10 — 40
Field programmable analogue array (Motorola MPAA020)	6 — 56
Flashing brooch	3 — 64
Flat-panel displays	6 — 32
Functional trinket	2 — 56

General-purpose alarm	12 — 58
General-purpose oscillator	7/8 — 79
Infra-red burglar alarm	12 — 76
Infra-red proximity detector	7/8 — 65
Infra-red receiver	7/8 — 41
Input impedance booster	12 — 67
Input impedance booster	7/8 — 98
Introduction to digital signal processing (1)	1 — 20
Introduction to digital signal processing (2)	2 — 40
Introduction to digital signal processing (3)	3 — 28
Introduction to digital signal processing (4)	4 — 56
Introduction to digital signal processing (5)	5 — 40
Introduction to digital signal processing (6)	6 — 40
Ionization circuit	3 — 46
Laser-controlled burglar deterrent	9 — 16
Latch uses 555 in memory mode	12 — 77
LED bar off indicator	7/8 — 71
LED lighting for consumer unit cupboard	12 — 86
Light from flat batteries	12 — 76
Low-impact muscle stimulator	7/8 — 103
Mains phase indicator	12 — 63
Master/slave switch 'deluxe'	11 — S14
Microgate logic	7/8 — 28
Modified humidity control	12 — 64
Multi-colour LED	7/8 — 90
Opamp with hysteresis	7/8 — 77
Parking sonar	4 — 20
PC control for MiniDisc player	11 — 30
Philbrick oscillator	12 — 61
PLD Gyroscope version 2	1 — S14
Pulse/frequency modulator	7/8 — 97
RC5 remote control extension	7/8 — 11
Rear light afterglow	7/8 — 30
Reflector for pedestrians	7/8 — 89
Refrigerator economizer	10 — 54
RFID systems	11 — 40
Semiconductor overviews	3 — 62
Simple infrared transmitter	7/8 — 101
Simple moisture detector	12 — 81
Sinewave-to-TTL converter	12 — 67
Smartcard reader/writer (2)	1 — 68
Smartcard-operated code lock	11 — 24
Stage-lighting control (DMX512)	2 — 52
Symmetrical full-wave rectifier	7/8 — 100
Tachometer for mopeds and motor scooters	10 — 34
Thrifty light-controlled switch	12 — 75
Torchlight dimmer	12 — 54
Versatile aid for experimenters	9 — 58
Versatile control system PLC87(A) (1)	10 — 28
Versatile control system PLC87(A) (2)	11 — 18

Power Supplies & Battery Chargers

1.5 A step-down switching regulator	12 — 79
Battery capacitance measurement by PC	12 — S14
Battery tester	7/8 — 68
Battery-charging indicator for mains adaptor	12 — 55
Battery-resistance meter	5 — 48
DC-DC converter	7/8 — 29
Developments in battery chargers	7/8 — 32
Discharge circuit	6 — 48
Experimental power supply for PCs	9 — S2
Lead-acid battery regulator for solar panel systems	12 — 72
Low-drop 5 V regulator	7/8 — 37
Low-power voltage reference	7/8 — 63
Mains filter revisited	12 — 83
Mains filter with overvoltage protection	4 — S8
Mains master/slave control Mk2	7/8 — 70
Mains splitter for AF power amplifiers	12 — 64
Maintenance charger (for 6/12V lead acid batteries)	7/8 — 52
NiCd battery charger	7/8 — 92
Overload protection	7/8 — 30

Polarity reverser	12 — 62
Simple electrification unit	12 — 68
Single-supply operation of the AD736	12 — 87
Soft start for switching power supply	7/8 — 98
Switch-mode power supply	7/8 — 97
Thrifty voltage regulator	7/8 — 18
Ultra-low power 5V regulator	7/8 — 49
Uninterruptible power supply (UPS) for cordless telephones	1 — 54
Universal lead-acid battery protector	7/8 — 28
Variable power supply (0-24V, 1A/2A)	3 — 16
XS symmetrical supply	12 — 74

Radio, TV and Communications

0.5-6 GHz low-noise amplifier	12 — 85
20-metre SSB/CW receiver	4 — 14
418/433 MHz control system	9 — 40
418/433 MHz fieldstrength meter	10 — 14
418/433 MHz short-range communication	5 — 34
Active magnetic antennas (Omega-2 and -3)	9 — 22
Active short-wave antenna	7/8 — 89
ATU for 27 MHz CB radios	12 — 86
Broadband RF preamplifier	5 — 14
Co-channel interference suppression using stacked antennas	6 — 14
Digital Audio Broadcasting (DAB) (1)	3 — 34
Digital Audio Broadcasting (DAB) (2)	4 — 34
Digital terrestrial television	12 — 44
Free radio!	4 — 66
Frequency display and VFO stabilizer	2 — 18
From Russia with vision	12 — 11
Ultima loopstick VLF antenna	7/8 — 108

Test & Measurement

12/24/48 V d.c. tester	12 — 85
418/433 MHz fieldstrength meter	10 — 14
A simple A-D converter	6 — S2
Barometer/altimeter (1)	11 — 48
Barometer/altimeter (2)	12 — 38
Battery-resistance meter	5 — 48
Cable analyser	7/8 — 78
Cable tester	1 — S9
Celsius thermometer	7/8 — 41
Conductance tester	6 — 54
Electronic accelerometer	6 — 20
E-meter (PC monitor radiation)	4 — 40
I2C temperature sensor	12 — 80
IC tester (1)	3 — 50
IC tester (2)	4 — 46
IC tester	1 — S3
Infra-red remote control tester	7/8 — 99
JFET tester	2 — 12
LCD tester	7/8 — 37
LED barometer	12 — 84
Light intensity measurement with a PC	2 — S14
Liquid-level gauge	6 — 60
Low-cost function generator	12 — 78
Mains pulser	12 — 73
Mini audio signal generator	7/8 — 48
Monitor/TV refresh rate meter	5 — 20
Multiple test card (for microcontrollers)	9 — 50
Oscillation monitor	7/8 — 64
PC-aided BJT tester revisited	4 — 26
Portable sound-pressure meter	1 — 14
Pulse rate monitor	7/8 — 78
RF signal generator (1)	11 — 10
RF signal generator (2)	12 — 20
Simple function generator	7/8 — 39
Three-state continuity tester	7/8 — 75
Thyristor tester	7/8 — 95
Two-wire temperature sensor	7/8 — 19

Datasheets

AD22100 (Analog Devices)	10 — 65
AD557 (Analog Devices)	4 — 61
AT90S1200 Instruction Set Summary (Atmel)	1 — 39
Beaufort scale	12 — 89
CS8412 (Cirrus Logic)	10 — 65
IC tester — test vectors, illustrated examples	4 — 61
ICM7218A (Maxim)	5 — 67
OHN3040U/OHS3040U	12 — 89
PLC87(A) Instruction Set	11 — 65
Quick Reference Card for 80C32 BASIC computer	2 — 69
RC-5 Codes (Philips)	9 — 65
SSM2141/SSM2142 (Analog Devices)	3 — 71
T-Series iron powder cores (Amidon)	5 — 67
UM8250A (United Microelectronics Corp.)	6 — 69
V23057 card relay E (Siemens)	6 — 69
XC9356 (Xilinx)	12 — 89

Corrections, Updates, Letters (P.O. Box 1414)

4-way serial port switch	1 — 51
ADC for Centronics port	1 — 51
CPU overclocking	1 — 50
Earthing in Variable Power Supply	5 — 70
EPROM programmer	5 — 70
EPROM programmer	7/8 — 66
Function generator	1 — 51
Hybrid power amplifier — copyright violation	1 — 51
Intelligent IC tester	9 — 35
Mini PIC programmer	1 — 50
Motorola software utilities pack now by ftp	5 — 70
PIC controlled home alarm system	1 — 51
Simple electronic metronome	3 — 63
Video copy processor ready-built?	1 — 51